BAYER Advanged BAYER **DUAL ACTION Rose & Flower Insect Killer**

CONTINUOUS SPRAY

KILLS BY CONTACT & PROTECTS up to 30 DAYS



• Kills Aphids, Caterpillars, Japanese Beetles & other listed Pests • Also for use on Houseplants

READ THE LABEL FIRST! DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product while bees are foraging. Do not apply this product to plants that are flowering. Only apply after all flower petals have fallen off.

Read and follow all label directions.

REFORE VOLULISE: Read these restrictions before using RESTRICTIONS: For Outdoor Use Only

 Do not contact treated areas until dry People and pets may re-enter after the treated area is dry.
Do not spray the product into fish pools, streams, or lakes.
Remove animal feeding dishes prior to application. Do not water the treated area to the point of run-off.

Do not make applications during rain.
Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters.
Do not apply to fruits or vegetables used for food.
Do not apply to areas which are waterlogged or saturated, which will

not allow penetration into the root zone of the plant.

 O not use in small enclosed areas where spray may be inhaled
 All outdoor applications, if permitted elsewhere on this label, must be limited to spot (no more than 2 sq ft) or crack and crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label: • Applications to vegetation, as listed on this label.

HOW TO USE

SHAKE WELL BEFORE USE. Hold can 12 to 15 inches from foliage. Squeeze trigger to dispense product. Spray leaves, stems and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply ntil the leaves are evenly coated with spray, but not dripping.

or use in outdoor residential garde

Apply when pests are seen or found. Reapply every 7 to 10 days until infestation is eliminated. Do not exceed 0.4 lbs imidacloprid per acre per ear. This can contains 0.00024 lbs of imidacloprid.

Adelgids, Ants (except Pharaoh), Aphids, Armyworms, Bagworms, Boxelder Bugs, Caterpillars, Clover mites, Cockroaches, Crickets, Cutworms, Earwigs, Elm leaf beetles, Flies, Fungus Gnats, Grasshoppers, Gypsy moth larvae Japanese Beetles, Kudzu bugs, Lace Bugs, Leaf-feeding beetles, Leaf-feeding caterpillars, Leafhoppers (including glassy- winged sharpshooters), Leafminers, Mealybugs, Midges, Mosquitoes, Moths, Pine Shord Moths, Pine Tip Moths, Plant bugs, Psillids, Rose Midges, Rose Slugs Sawflies, Scale insects (crawler stages), Sowbugs, Spittlebugs, Spiders, Stink Bugs (including brown marmorated stink bugs), Thrips, Weevils ncluding root weevils), and Whiteflies.

O KILL LISTED INSECTS ON ROSES, FLOWERS, OUSEPLANTS, GROUND COVERS, AND SHRUBS

Do not apply this product while bees are foraging. Do not apply this product to flowers that are flowering. Only apply after all flower petals have fallen off. for houseplants, move outside, treat, let dry, bring back indoors, Use when insects or damage first appear. Hold spray 12-15 inches rom foliage. Spray leaves, stems and tender new shoots. To kill insects that hide, spray teacks, stems and tender new shoulds. For an accuse that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. Kills listed insects through contact and keeps killing for up to 30 days. For severe infestations, repeat every to 14 days as necessary. Do not wet the foliage within one hour after plying. To avoid serious damage to plants, eliminate pests early in the ason before they multiply.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. nuestra página Web www.BayerAdvanced To the extent consistent with applicable law the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Produced for: Bayer Advanced, ADivision of Bayer CropScience LP, PC, Dex 12014 2: TIX. Alexander Driver, digits of the bacht number on this package. Research Triangle Park, NC 27709 (5) = 11623-GA-1 (03) = 11623-GA-3 Research Triangle Park, NC27709 (52)=11623-614 (03)=11622-66-3-3 Bayer (regd), Bayer Cross (regd), and Bayer Advanced[®] are trademarks of Bayer. DOT 2Q M5749 DSC

Sum NO CPOT

RUAR AND using the toilet. For medical emergency information, you may call toll-free 1-877-229-3763. lave the product container or label with you when calling po

enter or doctor or going for treatment. For product questions or comments, call toll-free 1-877-BaverAG 1-877-229-3724) or visit our website at www.BayerAdv

PRECAUTIONARY STATEMENTS

PHYSICAL CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperature show 120°F may cause bursting. Do not spray directly into any electrical equipment such as radios, televisions, computers, etc. (where there is exposed wiring or contact points) due to the possibility of short circuits and shock hazard

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and fish. This product is highly this products back and add the international of the mass product in the product back in the product when bees are for aging. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm veather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area

PROTECTION OF POLLINATORS

APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE INDECTIONS FOR USE TO PROTECT POLLINATORS. This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower,

shed pollen, or produce nectar. Bees and other insect pollinators can be exposed to this pesticide from: • Direct contact during foliar applications, or contact with residues on plant

 Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
 Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to

pollinator attractive habitat can result in bee kills. nformation on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at:

the resulties Limit and the resulting of the result of the www.aapco.org/officials.html. Pesticide incidents should also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at beekill@epa.gov.

STORAGE AND DISPOSAL e water, food, or feed by storage and d Do not contaminate water, tood, or reed by storage and disposal. PESTICIDE STORAGE: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. PESTICIDE DISPOSAL:

If Empty: Non-refillable container. Do not refill or reuse container. Place

empty container in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or toll free 1-877-229-3724 for disposal. Never place unused product down any indoor or outdoor drain. Money Back Guarantee: If you are not satisfied with this product, we will ladly refund your original nurchase







WHERE TO USE

WHEN TO USE

KILLS