

BIOADVANCED
SCIENCE-BASED SOLUTIONS

BRUSH KILLER

Plus

READY-TO-SPRAY

**KILLS
TOUGH BRUSH
Roots & All**

Mata las malezas resistentes de raíz



- **KILLS Poison Ivy, Poison Oak, Blackberry, Kudzu & other listed brush**
- **Rainfast in Hours**

Blackberry

Poison Oak

Kudzu

Poison Ivy

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel booklet for additional
precautionary statements

Active Ingredient:
Triclopyr, triethylamine salt . . . 8.8%^{**}
Other Ingredients: 91.2%
Total 100.0%
^{**} 6.36% Triclopyr acid equivalent

NET CONTENTS 32 FL OZ (946 ml)

501434102a 110513Y1

RIESGOS AMBIENTALES

• Para proteger el medio ambiente, no permitir que el pesticida ingrese o se escurra en las bocas de tormenta, zanjas, alcantarillas o aguas superficiales. Aplicar este producto cuando el clima esté calmo y no haya probabilidad de lluvia para las 24 horas siguientes ayudará a garantizar que el viento o la lluvia no dispersen o escurran el pesticida del área de tratamiento. Enjuagar el equipo de aplicación sobre el área tratada ayudará a evitar que ingrese en cursos de agua o sistemas de desagüe.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PRECAUCIÓN Riesgos para seres humanos y animales domésticos

- Causa irritación moderada en los ojos. • Es perjudicial si se ingiere, inhala o absorbe por la piel.
- Evitar el contacto con la piel, los ojos o la ropa. • Evitar inhalar el humo del rocío.
- Lavarse las manos prolijamente con agua y jabón después de manipular este producto y antes de comer, beber, mascar goma de mascar o fumar.
- Quitarse la ropa contaminada y lavarla antes de volver a usar.
- Usar camisa de mangas largas, pantalones largos, zapatos y medias al aplicar este producto.

PRIMEROS AUXILIOS +

EN CONTACTO CON LOS OJOS

• Mantener los ojos abiertos y enjuagar lenta y suavemente con agua durante 15 a 20 minutos. • Quitar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, luego continuar enjuagando los ojos. • Llamar a un centro de control de envenenamiento o a un médico para consultas sobre el tratamiento.

EN CONTACTO CON LA PIEL O LA ROPA

• Quitar la ropa contaminada. • Enjuagar la piel inmediatamente con abundante agua durante 15 a 20 minutos. • Llamar a un centro de control de envenenamiento o a un médico inmediatamente para consultas sobre el tratamiento.

SI SE INGIERE

• Llamar inmediatamente a un centro de control de envenenamiento o a un médico para consultas sobre el tratamiento. • Hacer que la persona beba tragos de agua, si puede tragar. • No inducir el vómito a menos que lo indique el centro de control de envenenamiento o el médico. • No administrar nada por boca a una persona inconsciente.

NOTA: Al llamar al centro de control de envenenamiento, tener a mano la etiqueta de este producto. En caso de solicitar tratamiento en una sala de emergencia o consultorio médico, llevar la etiqueta del producto para mostrarla al personal médico.

Para solicitar información médica de emergencia, llamar al número gratuito 877-229-3763.
 Ingrediente activo: 8.8% triclopir, sal trietilamina (CAS Nº 57213-69-1).

NOTA: Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. En la medida en que esté de acuerdo con la ley vigente, el Comprador asume la responsabilidad por la falta de rendimiento o seguridad si no es utilizado de acuerdo con las indicaciones de esta etiqueta.

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

This product kills the tough brushy & viney weeds, roots and all. This concentrated formula kills Kudzu, Poison Ivy, Poison Oak and Blackberries. Over 75 hard- to-kill plants* in all - to the root. Ideal for large areas - treats 4,000 square feet.*

No messy cleanup. Eliminating unsightly brush, vines and weeds from your home's landscape has never been easier.*



OPEN
 Resealable Label
 for Directions &
 Precautions

BRUSH KILLER

Plus

READY-TO-SPRAY


READ THE LABEL FIRST!



QUICK FACTS

- **Special Penetrating Formula Kills the Toughest Vines and Woody Plants***
- **Kills Tough Brush* - Roots & All**

Indicaciones
 en español
 después de las
 de inglés

KILLS	• Brush, Vines and Other Woody Plants* • Poison Ivy, Poison Oak, Blackberry, Wild Berries and Bushy Plants* • Kudzu • Broadleaf Weeds*
WHERE TO USE	• Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.
COVERAGE	• This bottle treats up to 4000 square feet. Just hook bottle to hose and go.
WHEN TO USE	• When weeds* are leafed out. • When brush* is leafed out
	For questions or comments, call toll-free 1-877-229-3724, or visit us on-line at www.BioAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:
 Triclopir, triethylamine salt 8.8%**
OTHER INGREDIENT 91.2%
TOTAL 100.0%

** 6.36% triclopir acid equivalent

EPA Reg. No. 92564-6

EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (75) = 5905-AR-01 (39) = 58996-MO-1 (57) = 071106-GA-003

*listed plants/brush/weeds



6 87073 04645 8

501430443a 1705151V1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE Read and follow directions when using.

- This product will kill or injure all woody plants* contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.
- If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water.
- Apply when wind is calm.
- Keep people and pets off treated areas until spray has dried.
- Do not apply to or around fruits or vegetables used for food.

HOW MUCH TO USE

Measure area to be sprayed. Calculate 'square feet' by multiplying length times width. This bottle treats up to 4,000 square feet (32 fl oz size).
Do not apply more than 17 fl oz brush killer per 500 square feet per year.

HOW TO USE Shake Well Before Use

CONNECT

1. Shake well before use.
2. Securely Connect sprayer to garden hose.
3. Be sure that ON/OFF Switch is in OFF position, toward hose end of sprayer.
4. Turn on water at faucet.
5. For first time use, remove plastic shipping lock from beneath switch.

SPRAY

1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
2. Begin spraying - Push ON/OFF Switch forward into ON position.
3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap treated areas. Work back toward faucet to avoid walking over wet, treated grass.



FINISH

1. To stop spraying, push ON/OFF Switch to OFF position.
2. Turn off water at faucet.
3. Relieve water pressure in hose by turning ON/OFF Switch back to ON position until water slows to a drip, then return ON/OFF switch to OFF position.
4. Disconnect sprayer from hose.

TIPS:

- Use a sheet of cardboard or plastic to protect desirable trees, shrubs, and plants from accidental contact with the product.

*listed plants/brush/weeds

(cont'd)

DIRECTIONS FOR USE (cont'd)

HOW TO USE (cont'd)

TIPS: (cont'd)

- **To Kill Vines,**
For vines growing on desirable plants, cut the vine and use BioAdvanced™ Science-Based Solutions Brush Killer Plus Concentrate, following directions for stump removal.
- **To Kill Poison Ivy or Poison Oak,**
Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.

FOR BEST RESULTS

- Apply when weeds are fully leafed out and actively growing.
- Rain or water 4 hours after application will not wash away effectiveness.
- Certain hard-to-kill weeds, such as Purple Loosestrife, may require a repeat application if regrowth occurs.

HOW BRUSH KILLER PLUS WORKS

This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots, then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.

KILLS

Alder	Cherry	Hawthorn
Arkansas Rose	Chickweed, mouseear	Hazel
Arrowwood	Chicory	Henbit
Ash	Chinquapin	Honeysuckle
Aspen	Choke Cherry	Hornbeam
Beech	Clover	Japanese Knotweed
Bindweed	Common Chickweed	Kudzu
Birch	Cottonwood	Lambsquarter
Blackberry	Crataegus	Lespedeza
Blackgum	Curly Dock	Locust
Black Medic	Dandelion	Madrone
Box Elder	Douglas Fir	Maples
Brazilian Pepper	Dogwood	Mesquite
Burdock	Elderberry	Mimosa
California Rose	Elm	Morning Glory (bindweed)
Canada Thistle	Evening Primrose	Mulberry
Carolina Geranium	Field Bindweed	Multiflora Rose
Casara	Field Horsetail Rush	Oxalis
Ceanothus	Florida Pusley	(cont'd)

KILLS (cont'd)

Parsley Piert	Scotch Broom	Tulip Poplar
Persimmon	Smartweed	Vetch
Pine	Spurge	Virginia Creeper
Plantain	Sumac	Western Hemlock
Poison Ivy	Sweetbay Magnolia	Wild Grape
Poison Oak	Sweetgum	Wild Lettuce
Poplar	Sycamore	Wild Onion
Purple Loosestrife	Tanoak	Wild Rose
Ragweed	Tansy Ragwort	Wild Violet
Raspberry	Thimbleberry	Willow
Salmonberry	Thistle	Winged Elm
Sassafras	Trumpet Creeper	Yellow Rocket



Do not allow people or pets onto treated areas until spray has dried.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

CONTAINER HANDLING

If Empty:

- Non-refillable container. Do not refill or reuse container.
- Place empty container in trash or offer for recycling if available.

If Partly Filled:

- Call your local solid waste agency or toll-free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

- La especial fórmula penetrante mata las enredaderas y plantas* leñosas más resistentes
- Mata las malezas* resistentes de raíz

MATA

- Malezas, enredaderas y otras plantas* leñosas
- Hiedra venenosa, roble venenoso, moras, bayas salvajes y plantas tupidas
- Kudzu • Malezas de hoja ancha*

DÓNDE USAR

- Usar alrededor de las casas, cabañas, edificios, cercos, caminos, senderos y áreas arboladas.

COBERTURA

- Esta botella trata hasta 4000 pies cuadrados (368 metros cuadrados). Sólo conectar la botella a la manguera y dejar actuar.

CUÁNDO USAR

- Cuando las malezas* desarrollen sus hojas por completo
- Cuando las hierbas* malignas desarrollen sus hojas por completo



Para hacer preguntas o comentarios, llamar al número gratuito 1-877-229-3724, o visítenos en línea en www.BioAdvanced.com

INGREDIENTE ACTIVO:

Triclopir, sal trietilamina 8.8%**

OTRO INGREDIENTE 91.2%

TOTAL 100.0%

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

**6.36% equivalente de ácido triclopir

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en la etiqueta.

ANTES DE USAR Leer y seguir estas indicaciones de uso.

- Este producto eliminará o dañará a todas las plantas* leñosas que entren en contacto con él. Algunos tipos de césped de estaciones cálidas pueden ponerse amarillos temporalmente cuando se rocian en exceso.
- Si se rocía accidentalmente una planta deseable, que no sea césped, enjuagar de inmediato con abundante agua.
- Aplicar cuando el viento esté calmó.
- Mantener a las personas y mascotas lejos de las áreas tratadas hasta que el rocío se haya secado.
- No aplicar cerca o sobre las frutas u hortalizas comestibles.

*plantas/hierbas/malezas de la lista

INDICACIONES DE USO (continuación)

CUÁNTO USAR

Medir el área a rociar. Calcular los 'pies cuadrados' mediante la multiplicación del largo por el ancho. Esta botella trata hasta 4,000 pies cuadrados (368 metros cuadrados). No aplicar más de 17 onzas [476g] del exterminador de malezas por cada 500 pies cuadrados [46 metros cuadrados] por año.

CÓMO USAR Agitar bien antes de usar

CONEXIÓN

1. Agitar bien antes de su uso.
2. Conectar en forma segura el pulverizador a la manguera.
3. Asegurarse de que el botón **ON/OFF** esté en posición **OFF**, hacia el extremo de la manguera del pulverizador.
4. Abrir la canilla de agua.
5. Para un primer uso, retirar el seguro para transporte de plástico que se encuentra debajo del interruptor.

PARA ROCIAR

1. Extender la manguera hasta la parte más alejada del área a tratar, apuntar la boquilla del pulverizador hacia el lugar a rociar.
2. Empezar a rociar: presionar el botón **ON/OFF** hacia la posición **ON**.
3. Caminar a un ritmo constante durante el rociado, usando un movimiento de barrido parejo, y superponer levemente las áreas tratadas. Caminar retrocediendo hasta la cantilla, para evitar caminar sobre el césped tratado y mojado.



AL FINAL

1. Para dejar de rociar, presionar el botón **ON/OFF** a la posición **OFF**.
2. Cerrar el agua desde la canilla.
3. Liberar la presión de agua de la manguera volviendo a poner el botón **ON/OFF** en la posición **ON** hasta que el agua disminuya su caudal hasta un goteo, y luego volver a poner el botón **ON/OFF** en la posición **OFF**.
4. Desconectar el rociador de la manguera.

SUGERENCIAS:

- Usar una plancha de cartón o plástico para proteger a los árboles, arbustos y plantas deseables del contacto accidental con el producto.
- **Para matar las enredaderas,** Use el exterminador de malezas concentrado BioAdvanced™ Science-Based Solutions Brush Killer Plus. Concentrate siguiendo las indicaciones para retirar los cabos.
- **Para matar la hiedra venenosa y el roble venenoso,** El contacto con la hiedra venenosa y el roble venenoso en cualquier época del año puede causar una reacción alérgica. Manipular las plantas muertas con guantes de goma. Eliminar las plantas y los guantes en bolsas de residuos bien selladas.

PARA OBTENER MEJORES RESULTADOS

- Aplicar cuando las malezas desarrollaron sus hojas por completo y están en crecimiento activo.
- La lluvia o riego 4 horas después de la aplicación no quitará efectividad.
- Ciertas malezas* difíciles de exterminar, tales como la salicaria púrpura, pueden necesitar más de una aplicación, si crece nuevamente.

CÓMO FUNCIONA ESTE PRODUCTO

Este herbicida sistemático selectivo ingresa a las plantas a través de sus hojas o de los brotes verdes o sangrantes, y raíces y luego recorre la planta e interfiere con los procesos exclusivos de las plantas. Los síntomas visuales, por ejemplo que las plantas se marchiten o pongan amarillas, aparecen en 1 a 6 semanas.

*plantas/hierbas/malezas de la lista

INDICACIONES DE USO (continuación)

MATA

Aliso	Trébol	Arces	Liquidámbar
Rosa arkansana	Pamplina común	Mezquita	Plátano de sombra
Viburno	Alamo americano	Mimosa	Roble oscuro
Fresno	Crataegus	Campanilla	Hierba de Santiago
Alamo	Romaza	(Convolvulus arvensis)	Rubis parviflorus
Haya	Diente de león	Morera	Cardo
Gloria por la mañana	Pino Oregón	Rosa multiflora	Bignonia
Abedul	Cornejo	Ovalis	Tulipero de Virginia
Mora	Baya del saúco	Chanca piedra	Algarroba
Tupelo	Olmo	Caqui	Parra virgen
Lupulina	Onagra vespertina	Pino	Cicuta occidental
Arce	Manto blanco	Plátano	Vid silvestre
Pimiento del Brasil	Corregüela silvestre	Hiedra venenosa	Lechuga silvestre
Bardana	Verdolaga de Florida	Roble venenoso	Cebolla silvestre
Rosa de California	Espino	Tulipanero	Rosa silvestre
Calceda vera	Avellano	Salicaria púrpura	Violeta silvestre
Geranio	Ortiga mansa	Ambrosia	Sauce
Cáscara sagrada	Madreselva	Frambueso	Olmo alado
Ceanothus	Carpe	Frambueso de flores rojas	Lepidio de invierno
Cerezo	Falopia japónica	Sasafrás	
Cerastium vulgatum	Kudzu	Retama negra	
Endivia	Cenizos	Duraznillo	
Chincapino	Lespedeza	Letrechzna	
Cerezo silvestre	Acacia blanca	Zumaque	
norteamericano	Madroño	Magnolia americana	



No permitir que los niños o mascotas ingresen a la área tratada hasta que el rocío se haya secado.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA

Almacenar en el contenedor original y en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un armario bajo llave. Proteger del congelamiento.

CÓMO MANEJAR EL CONTENEDOR

Si está vacío:

- Contenedor no reusable. No volver a rellenar ni utilizar este contenedor.
- Colocarlo en la basura o entregarlo para reciclar si fuera posible.

Si está parcialmente lleno:

- Llamar a la agencia local de residuos sólidos o al número gratuito 1-877-229-3724 para solicitar indicaciones para la eliminación.
- Nunca colocar el producto sin utilizar debajo de algún desagüe interno o externo.



BRUSH KILLER

Plus
READY-TO-SPRAY

PRECAUTIONARY STATEMENTS

CAUTION Hazards to Humans and Domestic Animals

- Causes moderate eye irritation.
- Harmful if swallowed, inhaled or absorbed through skin.
- Avoid contact with eyes, skin, or clothing.
- Avoid breathing spray mist.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove contaminated clothing and wash before reuse.
- Wear a long-sleeved shirt, long pants, shoes, and socks when applying this product.

FIRST AID +

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.
You may call toll-free 877-229-3763 for medical emergency information.
Active Ingredient: 8.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

EPA Reg. No. 92564-6
EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package.
(75) = 5905-AR-01 (39) = 58996-MO-1 (57) = 071106-GA-003
BioAdvanced and EZ-Grip One Touch Sprayer are trademarks of SBM Life Science Corp.

Distributed by:
SBM Life Science Corp.
1001 Winstead Drive, Suite 500
Cary, NC 27513

PRESS TO RESEAL

501304383 1/2015/11/11