



Safety Data Sheet

Section 1: Identification

Product identifier

Product Name • **Pennington Seed 0.2% Mallet Plus**

Synonyms • EPA Reg. No.: 228-500-32802; FertCa

Product Code • FertCa

Product Description • Variable colored granules.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Fertilizer plus insecticide.

Restrictions on use • Keep out of reach of children and domestic animals. Avoid breathing dust. Avoid contact with eyes, skin and clothing.

Details of the supplier of the safety data sheet

Manufacturer • Pennington
9675 S. 60th Street
Franklin, WI 53132
United States

Telephone (General) • (414) 394-3590 - 8:30am - 5:00pm CST

Emergency telephone number

Manufacturer (Transportation) • (800) 424-9300 - Chemtrec

Manufacturer (Transportation) • (703) 527-3887 - Chemtrec - Outside US collect calls accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Label elements

OSHA HCS 2012

DANGER



Hazard statements • May cause cancer.

Precautionary statements

Prevention • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Store locked up.

Other hazards

OSHA HCS 2012

- This product is highly toxic to aquatic invertebrates. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

- Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Mixtures

Composition		
Chemical Name	Identifiers	%
Imidacloprid	CAS:138261-41-3	0.2%
Limestone	CAS:1317-65-3	10% TO 90%
Silica, crystalline - quartz	CAS:14808-60-7	> 0.1%
Other ingredients	NDA	> 10%

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.

Skin

- IF ON SKIN: Wash skin with soap and water. If irritation develops and persists, get medical attention.

Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or doctor for treatment advice.

Ingestion

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.

Most important symptoms and effects, both acute and delayed

- May cause cancer. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.
LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media • Avoid heavy hose streams.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • None known.

Hazardous Combustion Products • Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions • Avoid contact with skin, eyes, and clothing. Wear appropriate personal protective equipment, avoid direct contact.

Emergency Procedures • No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

Environmental precautions

- No data available

Methods and material for containment and cleaning up

Containment/Clean-up Measures • Sweep or scoop up spills, dispose of any unusable material in approved landfill. Use appropriate Personal Protective Equipment (PPE)

Section 7 - Handling and Storage

Precautions for safe handling

Handling • Avoid contact with skin, eyes, and clothing. Avoid breathing dust. To minimize dust generation and accumulation, spills should be cleaned up and dust accumulations should be removed promptly. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities

Storage • Store in a cool/low-temperature, well-ventilated, dry place. Avoid humid or wet conditions. Keep out of reach of children. Keep container tightly closed. Store locked up.

Incompatible Materials or Ignition Sources • No data available.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Silica, crystalline - quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	See below
Limestone (1317-65-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Exposure Control Notations

ACGIH

- Silica, crystalline - quartz (14808-60-7): **Carcinogens:** (A2 - Suspected Human Carcinogen)

Exposure Limits Supplemental

OSHA

- Silica, crystalline - quartz (14808-60-7): **Mineral Dusts:** ((30)/(%SiO₂ + 2) mg/m³ TWA, total dust; (250)/(%SiO₂ + 5) mppcf TWA, respirable fraction; (10)/(%SiO₂ + 2) mg/m³ TWA, respirable fraction)

ACGIH

- Silica, crystalline - quartz (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Personal Protective Equipment

Pictograms



Respiratory

- If airborne dust is present or in case of inadequate ventilation, use appropriate respiratory protection. Use of half/full face air purifying or N95 dust mask is recommended.

Eye/Face

- Wear safety glasses.

Hands

- Wear appropriate gloves.

Skin/Body

- If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact. Use full body suit such as Tyvek or Tychem suit is recommended.

General Industrial Hygiene Considerations

- Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Other Information

- See product label for specific use PPE instructions.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Variable colored granules.
Color	Varies	Odor	Varies
Odor Threshold	No data available		
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	Not relevant
Specific Gravity/Relative Density	No data available	Bulk Density	45 to 80 lb(s)/ft ³
Water Solubility	No data available	Viscosity	Not relevant
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability			
Flash Point	Not relevant	UEL	No data available

LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

- Non-reactive under normal handling and storage conditions.

Chemical stability

- Stable

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Extreme heat, high humidity or moisture.

Incompatible materials

- No data available.

Hazardous decomposition products

- Flammable/toxic gases will form at elevated temperatures by thermal decomposition.

Section 11 - Toxicological Information

Information on toxicological effects

Components		
Imidacloprid (0.2%)	138261-41-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • >450 mg/kg; Inhalation-Rat • >5 mg/L; Skin-Rat LD50 • >5000 mg/kg

GHS Properties	Classification
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met
Skin sensitization	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met

Potential Health Effects

Inhalation

Acute (Immediate)

- Exposure to dust may cause mild respiratory irritation. Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss.

Chronic (Delayed)

- Repeated or prolonged inhalation of dust may cause respiratory irritation. Repeated and prolonged exposure to crystalline silica containing materials may cause irritation and/or lung damage silicosis, fibrosis, inflammation, cancer.

Skin

Acute (Immediate)

- Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

- No data available.

Eye

Acute (Immediate)

- May cause eye irritation.

Chronic (Delayed)

- No data available

Ingestion

Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

- No data available

Other

Chronic (Delayed)

- Repeated overexposure to imidacloprid, may effect heart, thyroid, blood chemistry, and liver. Repeated overexposure to N-Methyl 2-pyrrolidinone (NMP) may cause effects to eyes, skin, respiratory system, central nervous system, liver and kidneys.

Mutagenic Effects

- Imidacloprid mutagenicity studies, taken collectively, demonstrate that imidacloprid is not genotoxic or mutagenic.

Carcinogenic Effects

- Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects			
	CAS	IARC	NTP
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

Reproductive Effects

- Imidacloprid produced reduced mean body weights and body weight gains in a two-generation reproduction study in rats. No other reproductive effects were observed.

Section 12 - Ecological Information

Toxicity

Components		
Imidacloprid (0.2%)	138261-41-3	Aquatic Toxicity-Fish: 96 Hour(s) LC50 <i>Rainbow Trout</i> 211 mg/L [Acute] 96 Hour(s) LC50 <i>Leuciscus idus</i> 237 mg/L [Acute] Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 <i>Daphnia magna</i> 85 mg/L [Acute]

Persistence and degradability

- Hydrolysis half-life of imidacloprid is greater than 30 days at pH 7 and 25° C. The aqueous photolysis half- life is less than 3 hours. The soil surface photolysis of imidacloprid has a half-life of 39 days, and in soil, the half-life ranged from 26 to 229 days.

Bioaccumulative potential

- No data available

Mobility in Soil

- No data available

Other adverse effects

Potential Environmental Effects

- This product is highly toxic to aquatic invertebrates.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. See product label for disposal instructions.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

Special precautions for user

- None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- No data available

Other information

IMO/IMDG • No data available

IATA/ICAO • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • None

FIFRA – Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Hazard Statements • Keep out of reach of children.

Precautionary Statements •

Hazards to Humans and Domestic Animals • Harmful if absorbed through the skin. Causes minimal eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

First Aid • **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: No specific antidote available. Treat the patient symptomatically.

Environmental Hazards • This product is highly toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn or garden will help protect run off to water bodies or drainage systems.

Inventory		
Component	CAS	TSCA
Imidacloprid	138261-41-3	No
Limestone	1317-65-3	Yes
Silica, crystalline - quartz	14808-60-7	Yes

Section 16 - Other Information

- Revision Date** • 25/November/2015
- Last Revision Date** • 25/November/2015
- Preparation Date** • 25/November/2015
- Disclaimer/Statement of Liability** • The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.