

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : Pennington UltraGreen Winterizer Weed & Feed 22-0-14  
 Synonyms : EPA Reg. No.: 2217-884-90098, 100536608, 100536609, UPC #: 0-21496-02002-0, UPC #: 0-21496-02003-7

#### 1.2. Recommended use and restrictions on use

Recommended use : Lawn fertilizer with weed control.  
 Restrictions on use : Keep out of reach of children. Avoid contact with eyes, skin and clothing. Avoid breathing dust.

#### 1.3. Supplier

Central Garden & Pet, Garden Division  
 1000 Parkwood Circle, Suite 700  
 Atlanta, GA 30339 - United States

www.penningtonfertilizer.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-265-0761  
 1-800-424-9300 - CHEMTREC  
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Respiratory sensitization Category 1A	May cause an allergy or asthma symptoms or breathing difficulties if inhaled
Carcinogenicity Category 1A	May cause cancer
Combustible Dust	May form combustible dust concentrations in air

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS08



GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May form combustible dust concentrations in air  
 Causes serious eye irritation  
 May cause an allergy or asthma symptoms or breathing difficulties if inhaled  
 May cause cancer

Precautionary statements (GHS-US) : Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 Wash hands, forearms and face thoroughly after handling.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 In case of inadequate ventilation wear In case of inadequate ventilation, wear respiratory protection.  
 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If exposed or concerned: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 If experiencing respiratory symptoms: Call a poison center or a doctor  
 Store locked up.  
 Dispose of contents/container to in accordance with local/regional/national/international

# Pennington UltraGreen Winterizer Weed & Feed 22-0-14

## Safety Data Sheet

regulations

### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This pesticide may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
2,4-D, 2-ethylhexyl ester	(CAS-No.) 1928-43-4	1.108
Mecoprop-p acid	(CAS-No.) 16484-77-8	0.167
Dicamba acid	(CAS-No.) 1918-00-9	0.071
Peanut hulls	(CAS-No.) N/A	5 - 10
Limestone	(CAS-No.) 1317-65-3	27.68
Silica, crystalline - quartz	(CAS-No.) 14808-60-7	>= 0.1
Other ingredients	(CAS-No.) N/A	Balance

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled due to peanut hulls. Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after eye contact : Eye irritation.

Chronic symptoms : May cause cancer.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media : Avoid heavy hose streams.

### 5.2. Specific hazards arising from the chemical

Fire hazard : May ignite spontaneously if exposed to air.

Explosion hazard : Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Reactivity : This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Combustible dust - use low-pressure medium fog streams to avoid dust clouds. Ventilate closed spaces before entering. Eliminate ignition sources. Move containers away from the fire area if this can be done without risk.

# Pennington UltraGreen Winterizer Weed & Feed 22-0-14

## Safety Data Sheet

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective equipment.  
Emergency procedures : Avoid contact with skin, eyes and clothing. Do not breathe dust. Ventilate spillage area. No flames, no sparks. Eliminate all sources of ignition.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.  
Emergency procedures : Contain spill and monitor for excessive dust accumulation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate closed spaces before entering. Turn off electric power to area. As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. Evacuate area. Evacuate unnecessary personnel.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Use appropriate PPE. Sweep or scoop spills, dispose of any unusable material in approved landfill. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Non-sparking tools should be used.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid dust formation. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.  
Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Avoid humid, wet or moist conditions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in original container.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Limestone (1317-65-3)		
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)
Silica, crystalline - quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 µg/m <sup>3</sup>
IDLH	US IDLH (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup> (respirable dust)
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable dust)

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.  
Environmental exposure controls : Avoid release to the environment.

# Pennington UltraGreen Winterizer Weed & Feed 22-0-14

## Safety Data Sheet

### 8.3. Individual protection measures/Personal protective equipment

**Hand protection:**

Protective gloves

**Eye protection:**

Safety glasses

**Skin and body protection:**

If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact. Use of a full body suit such as Tyvek or Tychem suit is recommended.

**Respiratory protection:**

In case of insufficient ventilation, use NIOSH approved respiratory protection.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Variable colored granules
Color	: Variable
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: Not applicable
Bulk density	: 45 - 80 lb/ft <sup>3</sup>
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Combustible dust
Oxidizing properties	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

### 10.2. Chemical stability

Stable under normal conditions.

# Pennington UltraGreen Winterizer Weed & Feed 22-0-14

## Safety Data Sheet

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. May form combustible dust concentrations in the air.

### 10.4. Conditions to avoid

Avoid dust formation. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

2,4-D, 2-ethylhexyl ester (1928-43-4)	
LD50 oral rat	375 mg/kg
LD50 dermal rat	1500 mg/kg
Dicamba acid (1918-00-9)	
LD50 oral rat	1039 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Silica, crystalline - quartz (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer), Listed as carcinogen on NTP (National Toxicology Program)	
IARC group	1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list?	Yes

GHS-US Properties	Classification
Acute toxicity	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	May cause an allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cells mutagen	Not classified
Carcinogenicity	May cause cancer.
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	Not classified
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	Not classified

### Potential health effects

#### Inhalation

Acute : May cause allergy or asthma symptoms or breathing difficulties if inhaled due to peanut hulls. Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss.

Chronic : Repeated and prolonged exposure to crystalline silica containing materials may cause irritation and/or lung damage silicosis, fibrosis, inflammation, cancer.

#### Skin

Acute : Exposure may cause mechanical irritation.

#### Eye

Acute : Causes eye irritation.

#### Ingestion

Acute : Under normal conditions of use, no health effects are expected.

**Mutagenicity** : Not classified.

**Carcinogenicity** : Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

**Reproductive Effects** : Not classified.

# Pennington UltraGreen Winterizer Weed & Feed 22-0-14

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

2,4-D, 2-ethylhexyl ester (1928-43-4)	
LC50 Acute fish 1	6 - 8.7 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Acute fish 2	7.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
LC50 Acute fish 3	< 11.5 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Pennington UltraGreen Winterizer Weed & Feed 22-0-14	
Ecological Fate	This pesticide may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
<b>DOT</b>	Not regulated	Not regulated	Not applicable	Not applicable	RQ = 2,4 D = 100 lbs., Dicamba acid = 1,000 lbs.
<b>IMDG</b>	UN3077	Packaging greater than 5 kg: Environmentally hazardous substance, solid, n.o.s (2,4-D, 2-ethylhexyl ester)	9	III	Marine pollutant
<b>IATA</b>	UN3077	Packaging greater than 5 kg: Environmentally hazardous substance, solid, n.o.s (2,4-D, 2-ethylhexyl ester)	9	III	Acute aquatic toxicity

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

2,4-D, 2-ethylhexyl ester (1928-43-4)	
Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	0.1 %
Dicamba acid (1918-00-9)	
Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	1000 lb
SARA Section 313 - Emission Reporting	1 %
Limestone (1317-65-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# Pennington UltraGreen Winterizer Weed & Feed 22-0-14

## Safety Data Sheet

<b>Silica, crystalline - quartz (14808-60-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>FIFRA Labelling</b>	
EPA Registration Number	2217-884-90098
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Signal word	<b>Caution</b>
FIFRA Precautionary Statement	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
FIFRA First Aid	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
FIFRA Environmental Hazards	This pesticide may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### 15.2. US State regulations

<b>Silica, crystalline - quartz (14808-60-7)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	

## SECTION 16: Other information

Date of issue : 05 October 2018

SDS US (GHS HazCom 2012) - CGP

*The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.*