



**FAST ACTING!**  
One application kills  
weeds for up to one year



# ERASER™ MAX

## SUPER CONCENTRATE

### CONTROLS:

- Grasses
- Broadleaf Weeds
- Brush and Vines

FOR UP TO ONE YEAR

EPA Reg. No. 35935-94-53883  
EPA Est. No. 288-IL-001

A CONTROL SOLUTIONS INC. PRODUCT

Not for use near desirable vegetation. For outdoor use only.

- Kills weeds and grasses, roots and all
- Works two ways
- Season long control
- Covers 43,243 square feet



### ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt\*\* ..... 43.68%  
Imazapyr, isopropylamine salt\*\* ..... 00.78%

OTHER INGREDIENTS: ..... 55.54%

TOTAL: ..... 100.00%

### ACID EQUIVALENT:

\* Glyphosate: 3.158 lbs/gal  
\*\* Imazapyr: 0.062 lbs/gal

**KEEP OUT OF REACH OF CHILDREN  
DANGER-PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

### FIRST AID

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

**FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTRE  
For Medical Emergencies Only, Call (866) 897-8050

**NET CONTENTS: 2.5 GALLONS (9.46 L)**



**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER - PELIGRO**

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

Some materials that are chemical-resistant to this product are natural rubber > 14 mils. If you want more options, follow the instructions for category A on an EPA chemical-resistance selection chart.

**Mixers, loaders, applicators, and other handlers must wear:**

- Long-sleeve shirt and long pants,
- Shoes plus socks,
- Chemical resistant gloves for all mixers and loaders, plus applicators using handheld equipment,
- Protective eyewear (goggles, face shield, or safety glasses).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**FIRST AID**

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

**ENVIRONMENTAL HAZARDS**

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean diameter (VMD) of 385 microns or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

## WHERE TO USE

Use on non-crops areas: Industrial sites, Petroleum tank farms, Lumberyards, Manufacturing Sites, Storage Areas, Airports, Roadsides, Curbs, Sidewalks, Driveways, Parking areas, Brick walks, Gravel paths, Patios, Vacant lots, Paved areas (including crack and crevice), Warehouse areas, Urban areas, Recreational areas, Play areas, Tennis courts, Fencerows, Along fences of paddocks, corrals, feedlots, and livestock holding areas, Hedgerows, Dry Ditchbanks, Around domestic dwellings, Around farm buildings and barns, Agricultural uncultivated areas, Shelter beds, Farm yards, Farm premises, Outdoor buildings, structures and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses, and For establishment and maintenance of wildlife openings

Apply to locations only where no vegetation growth is desired for up to one year.

## WHEN TO USE

Apply to bare ground or when weeds are present. If weeds are taller than six inches, mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

## RESTRICTIONS

- Apply on a sunny day with temperatures above 60°F.
- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for one year.
- Avoiding product runoff to nearby desirable plants.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the roots systems or desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- In soils with heavy clay, weed control may exceed one year.
- Do not use on desirable lawns.
- Do not apply when wind speeds are greater than 10 miles per hour.
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

## HOW TO APPLY

### Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over areas where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

### Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

## Weeds Controlled lists

### GRASS/NUTSEDGE WEED SPECIES CONTROLLED

#### Bahiagrass

*Paspalum notatum*

#### Bentgrass

*Agrostis* spp.

#### Bermudagrass

*Cynodon dactylon*

#### Bluegrass, Kentucky

*Poa* spp.

#### Brome

*Bromus* spp.

#### Bromegrass, smooth

*Bromus inermis*

#### Canarygrass, reed

*Phalaris arundinacea*

#### Cattail

*Typha* spp.

#### Cogongrass

*Imperata cylindrica*

#### Dallisgrass

*Paspalum dilatatum*

#### Fescues

*Festuca* spp.

#### Fescue, tall

*Festuca arundinacea*

#### Guineagrass

*Panicum maximum*

#### Johnsongrass

*Sorghum halepense*

#### Kikuyugrass

*Pennisetum clandestinum*

#### Knotgrass

*Paspalum distichum*

#### Muhly, wirestem

*Muhlenbergia frondosa*

#### Napier grass

*Pennisetum purpureum*

#### Nutsedge; purple, yellow

*Cyperus rotundus*

*Cyperus esculentus*

#### Orchardgrass

*Dactylis glomerata*

#### Pampas grass

*Cortaderia* spp.

#### Panicum

*Panicum* spp.

#### Para grass

*Brachiaria mutica*

#### Phragmites\*

*Phragmites* spp.

#### Quackgrass

*Agropyron repens*

#### Reed, giant

*Arundo donax*

#### Ryegrass, perennial

*Lolium perenne*

#### Timothy

*Phleum pratense*

#### Torpedograss\*

*Panicum repens*

#### Vaseygrass

*Paspalum urvillei*

#### Velvetgrass

*Holcus* spp.

#### Wheatgrass, western

*Agropyron smithii*

\* Partial Control

### BROADLEAF WEED SPECIES CONTROLLED

#### Alfalfa

*Medicago sativa*

#### Alligatorweed\*

*Alternanthera philoxeroides*

#### Anise (fennel)

*Foeniculum vulgare*

#### Artichoke, Jerusalem

*Helianthus tuberosus*

#### Bassia, fivehook

*Bassia hyssopifolia*

#### Bindweed, field

*Convolvulus arvensis*

#### Blueweed, Texas

*Helianthus ciliaris*

#### Bracken fern

*Pteridium aquilinum*

#### Bursage, woollyleaf

*Franseria tomentosa*

#### Clover, red

*Trifolium pretense*

#### Clover, white

*Trifolium repens*

#### Dandelion

*Taraxacum officinale*

#### Dock, curly

*Rumex crispus*

#### Dogbane, hemp

*Apocynum cannabinum*

#### Fiddleneck

*Amsinckia* spp.

#### Fleabane

*Erigeron* spp.

#### Fleabane, hairy

*Conyza bonariensis*

#### Horsenettle

*Solanum carolinense*

#### Horseradish

*A Armoracia rusticana*

#### Ice plant

*Mesembryanthemum crystallinum*

#### Knapweed

*Centaurea repens*

#### Kochia

*Kochia scoparia*

#### Lantana

*Lantana camara*

#### Lespedeza

*Lespedeza* spp.

#### Lettuce, prickly

*Lactuca serriola*

#### Milkweed

*Asclepias* spp.

#### Mullein, common

*Verbascum thapsus*

#### Nightshade, silverleaf

*Solanum elaeagnifolium*

#### Poison hemlock

*Conium maculatum*

#### Ragweed, common

*Ambrosia artemisiifolia*

#### Ragweed, giant

*Ambrosia trifida*

#### Smartweed, Pennsylvania

*Polygonum pennsylvanicum*

#### Smartweed, swamp

*Polygonum coccineum*

#### Sowthistle, annual

*Sonchus oleraceus*

#### Spurge, leafy\*

*Euphorbia esula*

#### Starthistle, yellow

*Centaurea solstitialis*

#### Sunflower

*Helianthus annuus*

#### Thistle, artichoke

*Cynara cardunculus*

#### Thistle, Canada

*Cirsium arvense*

#### Thistle, Russian

*Salsola kali*

#### Velvetleaf

*Abutilon theophrasti*

## TREE, BRUSH AND VINE SPECIES CONTROLLED

### **Alder**

*Alnus spp.*

### **Ash**

*Fraxinus spp.*

### **Aspen, quaking**

*Populus tremuloides*

### **Balsam apple\***

*Momordica charantia*

### **Bearmat (Bearclover)**

*Chamaebatia foliolosa*

### **Beech**

*Fagus grandifolia*

### **Birch**

*Betula spp.*

### **Blackberry**

*Rubus spp.*

### **Blackgum**

*Nyssa spp.*

### **Bracken**

*Peridium spp.*

### **Broom:**

#### **French**

*Cytisus monspessulanus*

#### **Scotch**

*Cytisus scoparius*

### **Buckwheat, California\***

*Eriogonum fasciculatum*

### **Cascara\***

*Rhamnus purshiana*

### **Catsclaw\***

*Acacia greggii*

### **Ceanothus\***

*Ceanothus spp.*

### **Chamise**

*Adenostoma fasciculatum*

### **Cherry:**

#### **Bitter**

*Prunus emarginata*

#### **Black**

*Prunus serotina*

#### **Pin**

*Prunus pensylvanica*

### **Coyote brush**

*Baccharis consanguinea*

### **Creepers, Virginia\***

*Parthenocissus quinquefolia*

### **Dewberry**

*Rubus trivialis*

### **Dogwood\***

*Cornus spp.*

### **Elderberry**

*Sambucus spp.*

### **Elm\***

*Ulmus spp.*

### **Eucalyptus**

*Eucalyptus spp.*

### **Gorse**

*Ulex europaeus*

### **Hasardia\***

*Haplopappus squamosus*

### **Hawthorn**

*Crataegus spp.*

### **Hazel**

*Corylus spp.*

### **Hickory\***

*Carya spp.*

### **Holly, Florida/Brazilian**

#### **Peppertree\***

*Schinus terebinthifolius*

### **Honeysuckle**

*Lonicera spp.*

### **Hornbean, American\***

*Carpinus caroliniana*

### **Kudzu**

*Pueraria lobata*

### **Locust, black\***

*Robinia pseudoacacia*

### **Madrone**

*Arbutus menziesii*

### **Manzanita**

*Arctostaphylos spp.*

### **Maple:**

#### **Red\*\***

*Acer rubrum*

#### **Sugar**

*Acer saccharum*

#### **Vine**

*Acer circinatum*

### **Monkey Flower\***

*Mimulus guttatus*

### **Oak:**

#### **Black\***

*Quercus velutina*

#### **Northern Pin**

*Quercus palustris*

#### **Post**

*Quercus stellata*

#### **Red**

*Quercus rubra*

#### **Southern Red**

*Quercus falcate*

#### **White\***

*Quercus alba*

### **Persimmon\***

*Diospyros spp.*

### **Pine**

*Pinus spp.*

### **Poison Ivy**

*Rhus radicans*

### **Poison Oak**

*Rhus toxicodendron*

### **Poplar, yellow\***

*Liriodendron tulipifera*

### **Raspberry**

*Rubus spp.*

### **Redbud, eastern**

*Cercis canadensis*

### **Redvine\***

*Brunnichia ovate*

### **Rose, multiflora**

*Rosa multiflora*

### **Russian olive\*\***

*Elaeagnus angustifolia*

### **Sage: black, white**

*Salvia spp.*

### **Sagebrush, California**

*Artemisia californica*

### **Salmonberry**

*Rubus spectabilis*

### **Salt cedar**

*Tamarix spp.*

### **Sassafras**

*Sassafras albidum*

### **Sourwood**

*Oxydendrum arboreum*

### **Sweet potato, wild\***

*Ipomoea pandurata*

### **Sumac:**

#### **Poison\***

*Rhus vernix*

#### **Smooth\***

*Rhus glabra*

#### **Winged\***

*Rhus copallina*

### **Sweetgum**

*Liquidambar styraciflua*

### **Swordfern\***

*Polystichum munitum*

### **Tallowtree, Chinese**

*Sapium sebiferum*

### **Tan Oak**

*Lithocarpus densiflorus*

### **Thimbleberry**

*Rubus parviflorus*

### **Tobacco, tree\***

*Nicotiana glauca*

### **Trumpet creeper\***

*Campsis radicans*

### **Waxmyrtle, southern\***

*Myrica cerifera*

### **Willow**

*Salix spp.*

\*Partial Control, \*\*This product is not registered in California for use on Russian olive.

## STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**PESTICIDE STORAGE:** Store product in original container in a safe place and protect from freezing.

**PESTICIDE DISPOSAL:** Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **CONTAINER DISPOSAL:**

#### **Nonrefillable containers smaller than 5 gallons:**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying.

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

## WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent allowed by applicable law, Control Solutions, Inc. shall not be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein and to the extent consistent with applicable law, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

Buyer and user assume all responsibilities for safety and use not in strict accordance with directions.

RV121211

Manufactured by  
**CONTROL SOLUTIONS, INC.**  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041



# ERASER MAX SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Use 7.4 oz. per 1,000 square feet**
- **Season long control**
- **Rainfast within one hour**

#### ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt\* ..... 43.68%  
 Imazapyr, isopropylamine salt\*\* ..... 00.78%

**OTHER INGREDIENTS:**..... 55.54%

**TOTAL:**..... 100.00%

#### ACID EQUIVALENT:

\* Glyphosate: 3.158 lbs/gal    \*\* Imazapyr:0.062 lbs/gal

EPA Reg. No. 35935-94-53883

EPA Est. No. 228-IL-001

**KEEP OUT OF REACH OF CHILDREN**

**DANGER - PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

SEE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

#### FIRST AID

IF IN EYES	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

For Medical Emergencies Only, Call (866) 897-8050.

#### CONTROL SOLUTIONS INC.

5903 GENOA-RED BLUFF ROAD  
PASADENA TEXAS 77507

**Net Contents: 2.5 Gallon (9.46 L)**